

Maintenance Manual

Drum Corps Pad &
Pipe Band Pad



RD Pads

You deserve a great practice
session every single day

You deserve a great practice session, every single day.

Congratulations on your newly acquired Rudimental Drummers practice pad!

You bought a high quality drum pad that will give you and the people near you lot's of fun during hours of practice.

To keep the pad in the best condition for as long as possible, we have made an overview of how to do maintenance on the pad and what to do and what not to do.

From the Rudimental Drummers team we wish you hours of happy drumming with your new practice pad.

#DailyPractice

You deserve a great practice session, every single day.

Tightening and loosening the drum head

Like real drums the drum head is tightened by a rim and tension rods. In case of the high tension drum pad, the rim is a 13" or 14" steel ring fastened with 8 or 12 square head tension rods.

The tension rods are fixed in an insert nut in the base plate of the pad.

The Drum head is an 13" or 14" Evans Hybrid Marching Snare Drum Head.

This gives the pad a real high tension feel.

The drum head can be tightened or loosened using a standard drum key or high tension drum key

When shipped the tension of the drum head is set to medium, so it won't be overstrained during transport.

The drum head is new, so it is likely that the first weeks you will have adjust the tension.

Replacing the drum head is similar to replacing one on a real drum.

Unscrew all tension rods and remove the rim. It may be stuck a bit when it's been in place for a while.

When the drum head is removed you will see a rubber surface on top of the base plate..

Don't remove the rubber.

Place the new drumhead and start fastening with the tension rods.

Like a real drum use a cross-lug tuning sequence to fix the rods rim finger tight.

After that start tightening with the drum key.

You deserve a great practice session, every single day.

Cleaning the pad

When the pad has got some dirt on it, use a moist cloth to clean. Don't use a lot of water or cleaning soda etc. The pad was treated with a transparent varnish and using a cloth should do the trick.

Mounting the pad on a snare drum stand

The base plate has three recesses that you can use to mount on a snare stand. The three supports that are mounted on bottom make it possible to place the pad on a 14" drum or another surface.

Do's and don'ts

- When tuning the pad, use standard drum key or high tension drum key* . Any other key may damage the tension rods.
- The pad is a High Tension pad, but don't overstrain. Putting too much pressure on the rods might damage the insert nuts in the baseplate. Use less tension than you use on a real drum; the design of the pad will make the pad feel similar to a high tension drum with less tension.
- Don't expose the pad to water; the material isn't water resistant. When the baseplate gets too wet, the mechanical properties of the material may change, resulting in reduction of strength.
- Don't expose the pad to extreme temperatures. Don't leave it lying in the sun for hours. That can do damage to the drumhead.
- Only use drum sticks when playing the drum pad. Using other sticks can do damage to the drumhead.
- Use the box the pad was sent in or other protective casing when traveling, sharp objects may do damage to the drumhead or base plate or to the coating of the tension ring.
- When the drum head is removed, don't remove the rubber. This is an essential part of the product.